Jutge.org

The Virtual Learning Environment for Computer Programming

Swimming pool

P11888_en

Vuitè Concurs de Programació de la FME (2011-12-21)

(The original statement in Catalan has some private jokes. This English version goes straight to the point of the problem.)

There is a swimming pool with some free slots of time. There are two rules:

- A slot can only be used from its beginning.
- If a slot is used, even if partially, you must wait for at least one hour *from the end of the slot* before you can use another slot.

Input

Input consists of several cases. Every case begins with the number of slots n, followed by n pairs of triplets $h_1:m_1:s_1$ $h_2:m_2:s_2$, which indicate that there is a slot from $h_1:m_1:s_1$ until $h_2:m_2:s_2$. Assume $1 \le n \le 1000$, that hours are between 0 and 23, that minutes are between 0 and 59, and that $h_1:m_1:s_1$ is smaller than $h_2:m_2:s_2$. The end of input is marked with a special case with n = 0.

Output

For every case, print the maximum number of seconds that you can swim.

•		•	
Samp1	le	inn	11t
our p	_		•

Sample	outpu
--------	-------

1	
00:00:00	00:10:00
2	
01:10:00	02:10:00
00:00:00	00:10:00
2	
01:09:59	02:10:00
00:00:00	00:10:00
4	
00:10:40	00:35:30
01:00:00	01:55:00
02:10:00	03:15:00
12:00:20	23:59:59
5	
12:00:00	13:00:00
12:30:00	14:30:00
14:00:00	15:00:00
15:30:00	17:30:00
16:00:00	17:00:00
Λ	

600

Problem information

Author: Lander Ramos

Generation: 2024-04-30 15:21:21

© *Jutge.org*, 2006–2024. https://jutge.org